


# G 32.35

Higher productivity. Lower investment.



Need to iron large bed sheets without folding at a reasonable budget?

# G 32.35 is the answer

.....  
Ironing made smart  
with GMP  
.....

Excellent results  
in one time


G32.35 features a 3.20 m wide ironing surface and allows to process in one single time large bed sheets without folding them. The ironing process is optimized with the guarantee of an outstanding result.

Superior performance

Thanks to its efficient heating system G32.35 grants a high productivity. Ironing time is significantly reduced bringing further saving on utilities and labour.

Affordable investment

G32.35 is the ideal solution for the activities looking for a balance between productivity and budget. Combining a wide ironing surface with a compact structure, G32.35 grants an increased performance within an affordable budget.



# A guaranteed quality choice



## CHROMED CYLINDER

Hygiene and long-term saving with the wax-free anti-corrosion chrome coating

Linen destined to come in contact with food or human skin should not be contaminated by oxidation products that inevitably form on the surface of a polished cylinder. Opting for a chromed cylinder is almost a must in a modern world. And advantages are numerous:



- **MAXIMUM HYGIENE**  
Laboratory tests have demonstrated that chromed surfaces are ideal to grant the maximum hygiene, and new researches proved they grant an even better resistance to bacterial growth than stainless steel.
- **LESS MAINTENANCE**  
Chromed cylinder reduces ordinary maintenance costs: it is no more necessary to apply wax daily or weekly. Preventive maintenance costs are completely cut: no waxing is required during seasonal shutdowns of the laundry, no periodical exhaust motors and piping cleaning from wax residuals needed.
- **BETTER IRONING QUALITY AND LONGER LASTING**  
Ironing quality improves thanks to the smoother cylinder surface guaranteed by the chrome coating. Output remains constant over the years, thanks to belts maintaining their transpiration capacity: wax makes them impermeable, indeed. Moreover, lifespan of the belts and of the pressure roller covering considerably extends thanks to being submitted to less frictions.

Hard chrome coating is guaranteed 3 years against corrosion and is available for all G.line models.

# Technical data & installation information

## G32.35

<b>Cylinder Dimensions</b>	3200 x Ø325 mm
<b>Supply Tension *</b>	
Electric	V.400/3N/50Hz
Gas/Steam	V.230/1/50Hz
<b>HEATING SOURCE</b>	
<b>Electric</b>	Heating Power 39,6 kW
<b>Gas</b>	Thermal Power 47,25 kW
	Gas Consumption Nat. Gas 5 m <sup>3</sup> /h
	Gas Consumption LPG 3,7 kg/h
<b>Steam</b>	Average Consumption 40 kg/h
<b>MOTOR(S)</b>	
<b>Electric/Steam</b>	1 kW
<b>Gas</b>	1,2 kW
<b>TOTAL ABSORPTION</b>	
Electric	V.400/3: 59 A
Gas/Steam	V.230/1: 5 A
<b>Ironing Speed, Variable</b>	1,6 ÷ 5 m/min
Steam Extraction	405 m <sup>3</sup> /h
Fumes Extraction	140 m <sup>3</sup> /h
<b>Hourly Production (Recommended Moisture 50%)</b>	80 kg
<b>Ironer Dimensions (wxdxh)</b>	3740x585x1140 mm
<b>Packing Dimensions (wxdxh)</b>	3850x730x1560 mm
<b>Weight, Gross/Net</b>	780/715 kg

\* DIFFERENT VOLTAGES THAN INDICATED AVAILABLE ON OPTION, PLEASE CONTACT OUR SALES OFFICES